the

Case of the Crown Jewels

A DNA Restriction Analysis Laboratory Activity



Case of the Crown Jewels

Introduction

DNA restriction analysis is a technique with wide ranging applications in medicine, research, and forensics. The Case of the Crown Jewels is an activity that simulates the DNA fingerprinting process used by forensic scientists, which relies on restriction analysis to analyze DNA evidence from a fictional crime scene.

DNA restriction analysis is based on the following assumptions:

- DNA molecules can be identified by a difference in the sequence of bases
- Enzymes, which are produced naturally by bacteria, cut DNA molecules at specific sites denoted by base sequences

When a restriction enzyme is used to cut different DNA molecules, the size of the fragments generated will be unique to each molecule. As shown in Figure 1, both DNA 1 and DNA 2 are cut with *Hae*III, an enzyme that cuts between the base pairs GG | CC and CC | GG.



FIGURE 1: Restriction Digest of Two DNA Fragments

After being cut by restriction enzymes, DNA fragments remain mixed in solution and indistinguishable from one another. One way to distinguish between the different fragments created is to compare them by size. Different size fragments of DNA can be separated using gel electrophoresis.

Gel electrophoresis is a technique for separating molecules based on the differential movement of charged particles through a matrix when subjected to an electric field. In non-technical terms, DNA is negativelycharged – thus, when in the presence of an electric current, DNA will travel according to size (smallest pieces first) towards the positive electrode. By comparing the resulting pattern of DNA fragments on the gel, the DNA strands can be differentiated.





CITY POLICE DEPARTMENT POLICE REPORT

INCIDENT DATA

Incident Type: Processed by:	Museum Theft Officer Joe Friday	Complaint Status: Other Officers:	Pending DNA Results Officer Dee Enae		
	PROPER	TY			
Property Code: Name:	Jewelry/Precious Metal Crown Jewels	Owner's Name: Value:	City Museum \$1,000,000		
	BURGLARY	DATA			
Method of Entry:	Unlawful Entry through broken wir	ndow			
the only window in prints or any appar window, my partner, himself on the bro messenger, R. Renee	the room was broken. Officer Li rent evidence left at the crime s Dee Enae, noticed that there was ken glass. The blood sample was , who gave the package to the tech	gase approached me a cene. However, upon as some blood on the collected and sent mician Edna N. Zime.	and said that there were no n further inspection of the e sill. The thief had cut to the crime lab via the		
	SUSPECT [DATA			
Suspect Number: 1 Name: Pock Brief Description of Suspicio that he could get 1 jewels. No stone has Suspect Number: 2	Suspect Number: 1 Jame: Pockets Peterson Brief Description of Suspicion: A widely known and successful crime thief. Peterson has been known to brag chat he could get by any security system. He said he would prove it by someday taking the crown jewels. No stone has been known to have higher security. Suspect Number: 2 Couple Number: 2				
Name: Crue Brief Description of Suspicio	lla "The Cat" Blanchard n: Owns the largest private colled	ction of precious st	ones in the world. She has		

Brief Description of Suspicion: Owns the largest private collection of precious stones in the world. She has offered millions of dollars for them. Having been a member of the prestigious ninja swat team, she has the talent and guts to pull off such a crime.

Suspect Number: 3

Name: Professor Angstrom

4

Brief Description of Suspicion: Past curator of the museum that housed the crown jewels. He was recently fired from his job and replaced by the boss's niece. His motive may be revenge.

Suspect Number:

Name: The Resident Scientist

Brief Description of Suspicion: Credited for discovery of the crown jewels. She claims they are rightfully hers.

	CRIME	LAB DATA	
Crime Lab Investigator:	Edna N. Zime	Evidence Messenger:	R. Renee
List of Evidence Received:	Plastic bag with Blood DNA from four suspects	List of Procedures Used:	DNA Extraction Polymerase Chain Reaction DNA restriction analysis

Narrative: After receiving the package with the plastic bag marked *Crime Scene*, the crime scene DNA was extracted from the blood sample in the bag. Because the sample was so small the DNA was amplified using the polymerase chain reaction. Lab assistants used DNA isolated from four suspects and compared them to the crime scene DNA using DNA restriction analysis.

Results: See attached DNA Results Poster from lab assistants

CDNA EVIDENCE EVALUATION

1. Turn your paper strip with the DNA base sequences over so the side with the bases is facing you. Use your scissors (restriction enzymes) to cut your DNA samples only where you see this base pattern: CCGG. Cut between the C and G as shown in this example:



2. Count the number of base pairs (bp) in each piece of DNA that you have created. A base pair consists of two complementary bases. Record the number of base pairs in each piece on the blank side of the DNA fragment.

GCTAATTCATCC	Base side	12 base pairs	Blank side
CGATTAAGTAGG			

3. Tape your DNA sequences on an 8.5X11in. chart (blank sheet of paper) according to the number of base pairs. Be sure to put your sample in the proper column. Follow the example below:

30 29 28 27 26 25 24 23 22 21 20 19 19 19 18 17 16 15 15 14 14 13 12 bp 12 11 10 9 9 8 7 7 6 6 5 5 4 4 3 22

Crime DNA Crime

Suspect 1 DNA Su

Suspect 2 DNA Su

Suspect 3 DNA Su

Suspect 4 DNA Su

COTY POLICE DEPARTMENT

Your name:

Name of the person whose DNA was found at the crime scene:

Evidence: Explain how you came to your conclusion (you may include diagrams and explanations):